



# Introducing Orkestra<sup>™</sup> Intrinsic<sup>®</sup> brand fungicide

Let the performance begin

For fast and long-acting disease control, add **Orkestra Intrinsic** brand fungicide to your nursery disease-resistance management program. Two modes of action perform in unison for protection against top-of-mind diseases such as leaf spots, powdery mildews, rusts and anthracnose. **Orkestra Intrinsic** brand fungicide, used during mid-production, provides effective disease control and plant health benefits, including stronger roots and improved plant resilience to stress.

Featuring a new BASF active ingredient, **Orkestra Intrinsic** brand fungicide provides highly effective control of foliar and soilborne diseases.


Rely on **Orkestra Intrinsic** brand fungicide for healthier, more consistent, high quality plants in your nursery.

- **Effective disease control:** Controls a broad spectrum of key diseases; formulated with translaminar stability to stay where diseases occur and also systemic acropetal movement
- **Dual modes of action:** Features two modes of action for greater efficacy and resistance management
- **Plant health benefits:** Delivers plant health benefits to help speed recovery from stressors like cold, heat, drought, and shipping

## Effective disease control

- **Orkestra™ Intrinsic®** brand fungicide provides preventive, early curative, and residual control of key ornamental diseases, quickly stopping the growth of fungal cells
- Controls a broad spectrum of key diseases such as powdery mildews on crape myrtles and roses, and *Myrothecium* leaf spot on foliage and woody ornamental plants


### Control of Japanese Ligustrum Cercospora (*Cercospora* spp.)



■ Untreated Inoculated  
 ■ Orkestra Intrinsic brand fungicide @ 10 fl. oz.  
 ■ Pageant Intrinsic brand fungicide @ 12 oz.

A. Palmateer, University of Florida, 2014.  
 BASF-sponsored trial.<sup>1</sup>

### Control of Fusarium Aerial Blight (*Fusarium* spp.) of Hosta 'Areomarginata'




■ Untreated Inoculated  
 ■ Orkestra Intrinsic brand fungicide @ 8 fl. oz.  
 ■ Orkestra Intrinsic brand fungicide @ 10 fl. oz.  
 ■ Pageant Intrinsic brand fungicide @ 16 oz.

J. Buck, University of Georgia, 2014.  
 BASF-sponsored trial.<sup>2</sup>

- Foliar, stem, and crown diseases are controlled for up to 14 days under moderate infection
- Soilborne diseases such as *Cylindrocladium*, *Fusarium* and *Pythium* controlled with drench applications are managed on 7-28 day intervals, depending on disease pressure and environmental conditions

### Control of Black Spot of Rose (*Diplocarpon rosae*)



■ Check w/Infection  
 ■ Orkestra Intrinsic 8 fl oz

D. Norman, University of Florida, 2015.  
 BASF-sponsored trial.<sup>3</sup>

**Orkestra Intrinsic** controls the following foliar, crown, and soilborne diseases:

- Anthracnose
- Downy mildews
- Leaf spots
- Rusts
- Soilborne diseases
- Crown and basal rots
- Flower and petal blight
- Powdery mildews
- Scab
- Stem or twig blights and dieback

To learn more about **Orkestra Intrinsic** brand fungicide, visit [betterplants.basf.us](http://betterplants.basf.us) or contact your BASF representative.

Always read and follow label directions.

Orkestra is a trademark, and Intrinsic and Pageant are registered trademarks of BASF. © 2016 BASF Corporation. Mural is a trademark of Syngenta Crop Protection, LLC. Affirm is a trademark of Cleary Chemical LLC.

All rights reserved. PSS 16-30-445 August 2016

<sup>1</sup> Orkestra Intrinsic brand fungicide and Pageant Intrinsic brand fungicide statistically similar and different from Untreated Inoculated.

<sup>2</sup> Partial data is shown. Orkestra Intrinsic brand fungicide is statistically different from Mural and Untreated Inoculated after two applications. Orkestra Intrinsic brand fungicide is statistically similar to Affirm; however, for Orkestra Intrinsic brand fungicide after 2nd application and for Affirm following 3rd application.

<sup>3</sup> Applications 5/27 & 6/3 applied at rate 100 gal. An adjuvant needs to be used for best control of this disease.